## AUTHOR INDEX


Anantharamaiah, G.M., see Malik, N.A. (911) 221
Aoki, T., Yamada, N., Tomita, I., Kako, Y. and Imamura, T.
Caseins are cross-linked through their ester phosphate groups by colloidal calcium phosphate (911) 238
Appleby, C.A., see Fleming, A.I. (911) 209
Araki, T. and Funatsu, G.
The complete amino acid sequence of the B-chain of ricin E isolated from small-grain castor bean seeds. Ricin E is a gene recombination product of ricin D and *Ricinus communis* agglutinin (911) 191
Ascoli, F., see Spagnuolo, C. (911) 59

Bacou, P., see Remy, M.-H. (911) 252
Bárány, K., Csabina, S., De Lanerolle, P. and Bárány, M.
Evidence for isoforms of the phosphorylatable myosin light chain in rat uterus (911) 369
Bárány, M., see Bárány, K. (911) 369
Baratti, J., see Deleuze, H. (911) 117
Bennett, D.E. and Johnson, M.K.
The electronic and magnetic properties of rubredoxin: a low-temperature magnetic circular dichroism study (911) 71
Bennett, D.E., see Johnson, M.K. (911) 81
Bertrand, R., MacKenzie, R.E. and Jolivet, J.
Human liver methenyltetrahydrofolate synthetase: improved purification and increased affinity for folate polyglutamate substrates (911) 154
Bjarnason, J.B. and Fox, J.W.
Characterization of two hemorrhagic zinc proteinases, toxin c and toxin d, from western diamondback rattlesnake (*Crotalus atrox*) venom (911) 356
Bosc-Bierne, I., De la Fournière, L., Rathelot, J., Hirn, M. and Sarda, L.
Production and characterization of four monoclonal antibodies against porcine pancreatic colipase (911) 326
Bose, S.K., see Mandal, K. (911) 277
Bostedor, R., see Karkas, J.D. (911) 127
Bourdillon, C., see Remy, M.-H. (911) 252
Brasseur, R., see De Loof, H. (911) 45
Buono, G., see Deleuze, H. (911) 117
Byron, C.M., see Soltysik, S. (911) 201

Caballero, R., see Valencia, A. (911) 11
Cano, A., see Valencia, A. (911) 11
Chakrabarti, B., see Mandal, K. (911) 277
Cheung, H.C., see Malik, N.A. (911) 221
Chiancone, E., see Spagnuolo, C. (911) 59
Coletta, M., see Spagnuolo, C. (911) 59
Csabina, S., see Bárány, K. (911) 369
Cunningham, M.T. and Nelsestuen, G.L.
Comparison of the kinetic behavior of human and bovine proteins in the heparin-catalyzed antithrombin III/thrombin reaction (911) 66

Davey, J.P., see Hasinoff, B.B. (911) 53
Davies, K.J.P., see Shapleigh, J.P. (911) 334
De la Fournière, L., see Bosc-Bierne, I. (911) 326
De Lanerolle, P., see Bárány, K. (911) 369
Deleuze, H., Langrand, G., Millet, H., Baratti, J., Buono, G. and Triantaphylides, C.
Lipase-catalyzed reactions in organic media: competition and applications (911) 117
De Loof, H., Rosseneu, M., Brasseur, R. and Ruysschaert, J.-M.
Functional differentiation of amphiphilic helices of the apolipoproteins by hydrophobic moment analysis (911) 45
Dotimas, E.M., Hamid, K.R., Hider, R.C. and Ragnarsson, U.
Isolation and structure analysis of bee venom mast cell degranulating peptide (911) 285
Dreher, R., see Hasinoff, B.B. (911) 53
Dudman, W.F., see Fleming, A.I. (911) 209
Dunford, H.B., see Kashem, M.A. (911) 162

Einarsdottir, G.H., see Soltysik, S. (911) 201
Erman, J.E., Kim, K.L., Vitello, L.B., Moench, S.J. and Satterlee, J.D.
A covalent complex between horse heart cytochrome *c* and yeast cytochrome *c* peroxidase: kinetic properties (911) 1

Fabry, M.E., see Ropiak, I.K. (911) 109
Fee, J.A., see Johnson, M.K. (911) 81
Fernández Belda, F., see Teruel, J.A. (911) 256
Fitton, J.E., see Lee, K.H. (911) 144
Fleming, A.I., Wittenberg, J.B., Wittenberg, B.A., Dudman, W.F. and Appleby, C.A.
The purification, characterization and ligand-binding kinetics of hemoglobins from root nodules of the non-leguminous *Casuarina glauca* – *Frankia* symbiosis (911) 209
Fox, J.W., see Bjarnason, J.B. (911) 356
Funatsu, G., see Araki, T. (911) 191

Galjaard, H., see Mutsaers, J.H.G.M. (911) 244
Gan, L., see Wu, C.-S.C. (911) 25
García Cánovas, F., see Teruel, J.A. (911) 256
García Carmona, F., see Teruel, J.A. (911) 256
Gawish, A., see Malik, N.A. (911) 221
Germershausen, J., see Karkas, J.D. (911) 127
Giovannini, E., see Principato, G.B. (911) 349

Gómez Fernández, J.C., see Teruel, J.A. (911) 256
Gray, K.A., see Hirasawa, M. (911) 37

Hamid, K.R., see Dotimas, E.M. (911) 285
Hamilton, G.A., see Naber, N.I. (911) 365
Harris, S.J. and Winzor, D.J.
Enzyme kinetic evidence of active-site involvement in the interaction between aldolase and muscle myofibrils (911) 121
Hasegawa, T., see Yamada, R.-h. (911) 372
Hasinoff, B.B., Dreher, R. and Davey, J.P.
The association reaction of yeast alcohol dehydrogenase with coenzyme is partly diffusion-controlled in solvents of increased viscosity (911) 53
Hider, R.C., see Dotimas, E.M. (911) 285
Higuchi, Y., Inaka, K., Yasuoka, N. and Yagi, T.
Isolation and crystallization of high molecular weight cytochrome from *Desulfovibrio vulgaris* Hildenborough (911) 341
Hirasawa, M., Gray, K.A., Shaw, R.W. and Knaff, D.B.
Spectroscopic properties of spinach catalase (911) 37
Hirn, M., see Bosc-Bierne, I. (911) 326
Hirouchi, M., see Kariya, K. (911) 95
Horowitz, P.M., see Prasad, A.R.S. (911) 102
Hosokawa, M., see Kariya, K. (911) 95

Igarashi, K., see Kashiwagi, K. (911) 180
Imamura, T., see Aoki, T. (911) 238
Inaka, K., see Higuchi, Y. (911) 341
Iwashima, A., see Yamada, R.-h. (911) 372

Jigami, Y., see Muraki, M. (911) 376
Johnson, M.K., Bennett, D.E., Fee, J.A. and Sweeney, W.V.
Spectroscopic studies of the seven-iron-containing ferredoxins from *Azotobacter vinelandii* and *Thermus thermophilus* (911) 81
Johnson, M.K., see Bennett, D.E. (911) 71
Jolivet, J., see Bertrand, R. (911) 154
Joseph, M. and Nagaraj, R.
Circular dichroism studies on a synthetic peptide corresponding to the membrane-spanning region of vesicular stomatitis virus G protein and its fatty acyl derivative (911) 231

Kako, Y., see Aoki, T. (911) 238
Kariya, K., Lee, E., Hirouchi, M., Hosokawa, M. and Sayo, H.
Purification and some properties of peroxidases of rat bone marrow (911) 95
Karkas, J.D., Germershausen, J., Tolman, R.L., MacCoss, M., Wagner, A.F., Liou, R. and Bostedor, R.
Stereochemical considerations in the enzymatic phosphorylation and antiviral activity of acyclonucleosides. I. Phosphorylation of 2′-nor-2′-deoxyguanosine (911) 127
Kashem, M.A., Lambeir, A.-M. and Dunford, H.B.
Rapid spectral scan and stopped-flow studies of carbon monoxide binding to bovine adrenocortical cytochrome *P*-450$_{scc}$ (911) 162
Kashiwagi, K. and Igarashi, K.
Nonspecific inhibition of *Escherichia coli* ornithine decarboxylase by various ribosomal proteins: detection of a new ribosomal protein possessing strong antizyme activity (911) 180
Kim, K.L., see Erman, J.E. (911) 1
Knaff, D.B., see Hirasawa, M. (911) 37
Kroos, M., see Mutsaers, J.H.G.M. (911) 244

Lambeir, A.-M., see Kashem, M.A. (911) 162
Langrand, G., see Deleuze, H. (911) 117
Lee, E., see Kariya, K. (911) 95
Lee, K.H., Fitton, J.E. and Wüthrich, K.
Nuclear magnetic resonance investigation of the conformation of δ-haemolysin bound to dodecylphosphocholine micelles (911) 144
Lee, P.-C., see Loomis, R.E. (911) 168
Liou, R., see Karkas, J.D. (911) 127
Loomis, R.E., Lee, P.-C. and Tseng, C.-C.
Conformational analysis of the cholecystokinin C-terminal octapeptide: a nuclear magnetic resonance and computer-simulation approach (911) 168

MacCoss, M., see Karkas, J.D. (911) 127
MacKenzie, R.E., see Bertrand, R. (911) 154
MacKerell Jr., A.D. and Pietruszko, R.
Chemical modification of human aldehyde dehydrogenase by physiological substrate (911) 306
Malik, N.A., Anantharamaiah, G.M., Gawish, A. and Cheung, H.C.
Structural and biological studies on synthetic peptide analogues of a low-affinity calcium-binding site of skeletal troponin C (911) 221
Mandal, K., Bose, S.K., Chakrabarti, B. and Siezen, R.J.
Structure and stability of γ-crystallins. II. Differences in microenvironments and spatial arrangements of cysteine residues (911) 277
Millet, H., see Deleuze, H. (911) 117
Milner-White, E.J.
Beta-bulges within loops as recurring features of protein structure (911) 261
Moench, S.J., see Erman, J.E. (911) 1
Morikawa, M., see Muraki, M. (911) 376
Muraki, M., Jigami, Y., Morikawa, M. and Tanaka, H.
Engineering of the active site of human lysozyme: conversion of aspartic acid 53 to glutamic acid and tyrosine 63 to tryptophan or phenylalanine (911) 376
Mutsaers, J.H.G.M., Van Halbeek, H., Vliegenthart, J.F.G., Tager, J.M., Reuser, A.J.J., Kroos, M. and Galjaard, H.
Determination of the structure of the carbohydrate chains of acid α-glucosidase from human placenta (911) 244

Naber, N.I. and Hamilton, G.A.
Concerning the mechanism for transfer of D-glucuronate from *myo*-inositol oxygenase to D-glucuronate reductase (911) 365
Nagaraj, R., see Joseph, M. (911) 231
Nakai, S., see Ono, T. (911) 318
Nelsestuen, G.L., see Cunningham, M.T. (911) 66

Ohning, B.L., see Ross, G.F. (911) 294

Ono, T., Yada, R., Yutani, K. and Nakai, S.
Comparison of conformations of κ-casein, para-κ-casein and glycomacropeptide (911) 318

Pace, C.P. and Stankovich, M.T.
Redox properties of electron-transferring flavoprotein from *Megasphaera elsdenii* (911) 267
Payne, W.J., see Shapleigh, J.P. (911) 334
Pestaña, A., see Valencia, A. (911) 11
Pfeil, W.
Is thermally denatured protein unfolded? The example of α-lactalbumin (911) 114
Pietruszko, R., see MacKerell Jr., A.D. (911) 306
Prasad, A.R.S. and Horowitz, P.M.
Chemical modification of bovine liver rhodanese with tetrathionate: differential effects on the sulfur-free and sulfur-containing catalytic intermediates (911) 102
Principato, G.B., Rosi, G., Talesa, V., Giovannini, E. and Uotila, L.
Purification and characterization of two forms of glyoxalase II from the liver and brain of Wistar rats (911) 349

Ragnarsson, U., see Dotimas, E.M. (911) 285
Rathelot, J., see Bosc-Bierne, I. (911) 326
Remy, M.-H., Bacou, P., Bourdillon, C. and Thomas, D.
Kinetics of amino acid esterification catalyzed by hydrophobic derivatives of α-chymotrypsin (911) 252
Reuser, A.J.J., see Mutsaers, J.H.G.M. (911) 244
Rinelli, P., see Spagnuolo, C. (911) 59
Ropiak, I.K. and Fabry, M.E.
The structure and formation of the glucose 6-phosphate adduct of hemoglobin A: a $^{31}$P-NMR study (911) 109
Rosi, G., see Principato, G.B. (911) 349
Ross, G.F., Ohning, B.L., Tannenbaum, D. and Whitsett, J.A.
Structural relationships of the major glycoproteins from human alveolar proteinosis surfactant (911) 294
Rosseneu, M., see De Loof, H. (911) 45
Ruysschaert, J.-M., see De Loof, H. (911) 45

Sarda, L., see Bosc-Bierne, I. (911) 326
Satterlee, J.D., see Erman, J.E. (911) 1
Sayo, H., see Kariya, K. (911) 95
Shapleigh, J.P., Davies, K.J.P. and Payne, W.J.
Detergent inhibition of nitric-oxide reductase activity (911) 334
Shaw, R.W., see Hirasawa, M. (911) 37
Siezen, R.J., see Mandal, K. (911) 277
Soltysik, S., Byron, C.M., Einarsdottir, G.H. and Stankovich, M.T.
The effects of reversible freezing inactivation and inhibitor binding on redox properties of L-amino-acid oxidase (911) 201
Spagnuolo, C., Rinelli, P., Coletta, M., Chiancone, E. and Ascoli, F.
Oxidation reaction of human oxyhemoglobin with nitrite: a reexamination (911) 59
Stankovich, M.T., see Pace, C.P. (911) 267
Stankovich, M.T., see Soltysik, S. (911) 201
Sweeney, W.V., see Johnson, M.K. (911) 81

Tager, J.M., see Mutsaers, J.H.G.M. (911) 244
Talesa, V., see Principato, G.B. (911) 349
Tanaka, H., see Muraki, M. (911) 376
Tannenbaum, D., see Ross, G.F. (911) 294
Teruel, J.A., Tudela, J., Fernández Belda, F., Garcia Carmona, F., Gómez Fernández, J.C. and García Cánovas, F.
Kinetic characterization of an enzymatic irreversible inhibition measured in the presence of coupling enzymes. The inhibition of adenosine triphosphatase from sarcoplasmic reticulum by fluorescein isothiocyanate (911) 256
Thomas, D., see Remy, M.-H. (911) 252
Tolman, R.L., see Karkas, J.D. (911) 127
Tomita, I., see Aoki, T. (911) 238
Triantaphylides, C., see Deleuze, H. (911) 117
Tseng, C.-C., see Loomis, R.E. (911) 168
Tsou, C.-L., see Xie, G.-F. (911) 19
Tsou, C.-L., see Zhou, H.-M. (911) 136
Tudela, J., see Teruel, J.A. (911) 256

Uotila, L., see Principato, G.B. (911) 349

Valencia, A., Cano, A., Caballero, R. and Pestaña, A.
Spectroscopic studies on the structural organization of the lectin discoidin I: homologies with fibronectin (911) 11
Van Halbeek, H., see Mutsaers, J.H.G.M. (911) 244
Vitello, L.B., see Erman, J.E. (911) 1
Vliegenthart, J.F.G., see Mutsaers, J.H.G.M. (911) 244

Wagner, A.F., see Karkas, J.D. (911) 127
Wakabayashi, Y., see Yamada, R.-h. (911) 372
Whitsett, J.A., see Ross, G.F. (911) 294
Winzor, D.J., see Harris, S.J. (911) 121
Wittenberg, B.A., see Fleming, A.I. (911) 209
Wittenberg, J.B., see Fleming, A.I. (911) 209
Wu, C.-S.C., Gan, L. and Yang, J.T.
Conformation similarities of the globular and tailed forms of acetylcholinesterase from *Torpedo californica* (911) 25
Wüthrich, K., see Lee, K.H. (911) 144

Xie, G.-F. and Tsou, C.-L.
Conformational and activity changes during guanidine denaturation of D-glyceraldehyde-3-phosphate dehydrogenase (911) 19

Yada, R., see Ono, T. (911) 318
Yagi, T., see Higuchi, Y. (911) 341
Yamada, N., see Aoki, T. (911) 238
Yamada, R.-h., Wakabayashi, Y., Iwashima, A. and Hasegawa, T.
In vivo inhibition of aspartate aminotransferase in mice by L-hydrazinosuccinate (911) 372
Yang, J.T., see Wu, C.-S.C. (911) 25
Yasuoka, N., see Higuchi, Y. (911) 341
Yutani, K., see Ono, T. (911) 318

Zhou, H.-M. and Tsou, C.-L.
The presence of reactive SH groups in the enzymatically active dicyano derivative of creatine kinase (911) 136